

**Supplementary Table 2.** Changes in the parent-reported Trauma Symptom Checklist for Young Children scores with time progression

Scale/domain	Initial	After 6 months	After 1 year
Trauma Symptom Checklist for Young Children (TSCYC, parent-reported) (N=15)			
Response level	51.94±2.82	52.32±3.07	58.86±3.31
Atypical response	53.50±2.64	52.01±2.99	50.79±3.45
Anxiety	60.39±2.98	58.59±3.34	50.77±3.70
Depression	52.58±2.76	53.46±3.09	46.97±3.41
Anger	50.58±2.00	49.60±2.19	45.66±2.36
PTS-intrusion <sup>*a</sup>	66.00±3.70	55.24±4.18	49.41±4.65
PTS-avoidance <sup>*a</sup>	76.42±4.93	65.96±5.59	52.40±6.26
PTS-arousal <sup>*b</sup>	55.22±3.14	61.35±3.40	51.64±3.64
PTS-total <sup>*a</sup>	67.50±3.57	62.28±3.98	48.92±4.37
Dissociation	47.53±2.48	49.74±2.81	44.65±3.14
Sexual concerns	61.56±4.49	60.89±5.08	53.83±5.66

TSCYC scores were analyzed in 15 children and adolescents ages 3–13 years old. Estimated mean±standard error, by linear mixed model analysis. Analysis was performed including variables of fixed effects (time progression, treatment condition). \* $p < 0.05$ . <sup>a</sup>post hoc comparison initial vs. after 1 year,  $p < 0.05$ ; <sup>b</sup>post hoc comparison after 6 months vs. after 1 year,  $p < 0.05$ . PTS, posttraumatic stress